



FISHERS HEALTH DEPARTMENT *School Health*



Stay Up-to-Date with the Latest Immunization Recommendations for Students: Updates to the CDC Child and Adolescent Immunization Schedule

The New 2024 Recommended Immunization Schedules Now Online!

The 2024 ACIP Recommended Immunization Schedules are now posted online. As a reminder, the schedules summarize final recommendations that were previously adopted and made official by the CDC director. Therefore, these schedules are effective immediately. Below you will find the key highlights of the changes to the schedule, a link to the CDC App that can be downloaded to most smartphones, links to review the schedule online, and resources to give parents.

Did you know there's an App for the CDC Vaccine Schedules?

If you are interested in downloading the App, [CLICK HERE](#).

Download "CDC Vaccine Schedules" free for iOS and Android devices.



Product Specs
Version: 11.1.0

Requirements: Requires iOS 11.0 or later and Android 5.1 or later; optimized for tablets and useful on smartphones.

Updates: Changes in the app are released through app updates.

Download app free for **iOS**



Download app free for **Android**



For a Printable PDF of the new schedule for providers and healthcare workers, [CLICK HERE](#).

Table 1 Recommended Child and Adolescent Immunization Schedule for Ages 18 Years or Younger, United States, 2024


These recommendations must be read with the notes that follow. For those who fall behind or start late, provide catch-up vaccination at the earliest opportunity as indicated by the green bars. To determine minimum interval between doses, see the catch-up schedule (Table 2).

Vaccine and other immunizing agents	Birth	1 mo	2 mo	4 mo	6 mo	9 mo	12 mo	15 mo	18 mo	19-23 mo	2-3 yrs	4-6 yrs	7-10 yrs	11-12 yrs	13-15 yrs	16 yrs	17-18 yrs
Respiratory syncytial virus (RSV) (see notes)	1 dose depending on maternal RSV vaccination status; see notes																
Hepatitis B (HepB)	1 st dose	2 nd dose															
Rotavirus (RV) (2-dose series, RV1 (3-dose series), RV2 (3-dose series))		1 st dose	2 nd dose	See Notes													
Diphtheria, tetanus, acellular pertussis (DTaP) (3 yrs)			1 st dose	2 nd dose	3 rd dose		4 th dose										
Pneumococcal conjugate PCV13, PCV20		1 st dose	2 nd dose	See Notes			2 nd or 4 th dose										
Inactivated poliovirus (IPV) (18 yrs)		1 st dose	2 nd dose		3 rd dose												See Notes
COVID-19 (19vCOVID mRNA, 19vCOVID-AP)										1 or more doses of updated (2023-2024 Formula vaccine (See Notes)							
Influenza (INFLU)										Annual vaccination 1 or 2 doses							
Influenza (SAVING)										Annual vaccination 1 or 2 doses							
Measles, mumps, rubella (MMR)																	
Varicella (VAR)																	
Hepatitis A (HepA)																	
Tetanus, diphtheria, acellular pertussis (Tdap) (3 yrs)																	
Human papillomavirus (HPV)																	
Meningococcal (MenACWY) (2 yrs), MenACWY TT (2 years)																	
Meningococcal (MenB) (16-18 yrs)																	
Respiratory syncytial virus vaccine (RSV) (after age 5)																	
Dengue (DENVAXIN) (9-16 yrs)																	

Range of recommended ages for all children
Range of recommended ages for catch-up vaccination
Range of recommended ages for certain high-risk groups
Recommended vaccination can begin in this age group
Recommended vaccination based on shared clinical decision-making
No recommendation/not applicable

For a Printable PDF of the new schedule for ages 0-6 years for parents, [CLICK HERE](#).

2023 Recommended Immunizations for Children from Birth Through 6 Years Old



FOOTNOTES

1. If your child misses a third dose at age 8 months, you should wait 4 months before giving the third dose.

2. If your child misses a second dose at age 4 months, you should wait 4 months before giving the second dose.

3. If your child misses a first dose at age 2 months, you should wait 4 months before giving the first dose.

4. If your child misses a fourth dose at age 12 months, you should wait 4 months before giving the fourth dose.

5. If your child misses a fifth dose at age 18 months, you should wait 4 months before giving the fifth dose.

6. If your child misses a sixth dose at age 24 months, you should wait 4 months before giving the sixth dose.

7. If your child misses a seventh dose at age 30 months, you should wait 4 months before giving the seventh dose.

8. If your child misses an eighth dose at age 36 months, you should wait 4 months before giving the eighth dose.

9. If your child misses a ninth dose at age 42 months, you should wait 4 months before giving the ninth dose.

10. If your child misses a tenth dose at age 48 months, you should wait 4 months before giving the tenth dose.

11. If your child misses an eleventh dose at age 54 months, you should wait 4 months before giving the eleventh dose.

12. If your child misses a twelfth dose at age 60 months, you should wait 4 months before giving the twelfth dose.

13. If your child misses a thirteenth dose at age 66 months, you should wait 4 months before giving the thirteenth dose.

14. If your child misses a fourteenth dose at age 72 months, you should wait 4 months before giving the fourteenth dose.

15. If your child misses a fifteenth dose at age 78 months, you should wait 4 months before giving the fifteenth dose.

16. If your child misses a sixteenth dose at age 84 months, you should wait 4 months before giving the sixteenth dose.

17. If your child misses a seventeenth dose at age 90 months, you should wait 4 months before giving the seventeenth dose.

18. If your child misses an eighteenth dose at age 96 months, you should wait 4 months before giving the eighteenth dose.

19. If your child misses a nineteenth dose at age 102 months, you should wait 4 months before giving the nineteenth dose.

20. If your child misses a twentieth dose at age 108 months, you should wait 4 months before giving the twentieth dose.

21. If your child misses a twenty-first dose at age 114 months, you should wait 4 months before giving the twenty-first dose.

22. If your child misses a twenty-second dose at age 120 months, you should wait 4 months before giving the twenty-second dose.

23. If your child misses a twenty-third dose at age 126 months, you should wait 4 months before giving the twenty-third dose.

24. If your child misses a twenty-fourth dose at age 132 months, you should wait 4 months before giving the twenty-fourth dose.

25. If your child misses a twenty-fifth dose at age 138 months, you should wait 4 months before giving the twenty-fifth dose.

26. If your child misses a twenty-sixth dose at age 144 months, you should wait 4 months before giving the twenty-sixth dose.

27. If your child misses a twenty-seventh dose at age 150 months, you should wait 4 months before giving the twenty-seventh dose.

28. If your child misses a twenty-eighth dose at age 156 months, you should wait 4 months before giving the twenty-eighth dose.

29. If your child misses a twenty-ninth dose at age 162 months, you should wait 4 months before giving the twenty-ninth dose.

30. If your child misses a thirtieth dose at age 168 months, you should wait 4 months before giving the thirtieth dose.

31. If your child misses a thirty-first dose at age 174 months, you should wait 4 months before giving the thirty-first dose.

32. If your child misses a thirty-second dose at age 180 months, you should wait 4 months before giving the thirty-second dose.

33. If your child misses a thirty-third dose at age 186 months, you should wait 4 months before giving the thirty-third dose.

34. If your child misses a thirty-fourth dose at age 192 months, you should wait 4 months before giving the thirty-fourth dose.

35. If your child misses a thirty-fifth dose at age 198 months, you should wait 4 months before giving the thirty-fifth dose.

36. If your child misses a thirty-sixth dose at age 204 months, you should wait 4 months before giving the thirty-sixth dose.

37. If your child misses a thirty-seventh dose at age 210 months, you should wait 4 months before giving the thirty-seventh dose.

38. If your child misses a thirty-eighth dose at age 216 months, you should wait 4 months before giving the thirty-eighth dose.

39. If your child misses a thirty-ninth dose at age 222 months, you should wait 4 months before giving the thirty-ninth dose.

40. If your child misses a fortieth dose at age 228 months, you should wait 4 months before giving the fortieth dose.

41. If your child misses a forty-first dose at age 234 months, you should wait 4 months before giving the forty-first dose.

42. If your child misses a forty-second dose at age 240 months, you should wait 4 months before giving the forty-second dose.

43. If your child misses a forty-third dose at age 246 months, you should wait 4 months before giving the forty-third dose.

44. If your child misses a forty-fourth dose at age 252 months, you should wait 4 months before giving the forty-fourth dose.

45. If your child misses a forty-fifth dose at age 258 months, you should wait 4 months before giving the forty-fifth dose.

46. If your child misses a forty-sixth dose at age 264 months, you should wait 4 months before giving the forty-sixth dose.

47. If your child misses a forty-seventh dose at age 270 months, you should wait 4 months before giving the forty-seventh dose.

48. If your child misses a forty-eighth dose at age 276 months, you should wait 4 months before giving the forty-eighth dose.

49. If your child misses a forty-ninth dose at age 282 months, you should wait 4 months before giving the forty-ninth dose.

50. If your child misses a fiftieth dose at age 288 months, you should wait 4 months before giving the fiftieth dose.

51. If your child misses a fifty-first dose at age 294 months, you should wait 4 months before giving the fifty-first dose.

52. If your child misses a fifty-second dose at age 300 months, you should wait 4 months before giving the fifty-second dose.

53. If your child misses a fifty-third dose at age 306 months, you should wait 4 months before giving the fifty-third dose.

54. If your child misses a fifty-fourth dose at age 312 months, you should wait 4 months before giving the fifty-fourth dose.

55. If your child misses a fifty-fifth dose at age 318 months, you should wait 4 months before giving the fifty-fifth dose.

56. If your child misses a fifty-sixth dose at age 324 months, you should wait 4 months before giving the fifty-sixth dose.

57. If your child misses a fifty-seventh dose at age 330 months, you should wait 4 months before giving the fifty-seventh dose.

58. If your child misses a fifty-eighth dose at age 336 months, you should wait 4 months before giving the fifty-eighth dose.

59. If your child misses a fifty-ninth dose at age 342 months, you should wait 4 months before giving the fifty-ninth dose.

60. If your child misses a sixtieth dose at age 348 months, you should wait 4 months before giving the sixtieth dose.

61. If your child misses a sixty-first dose at age 354 months, you should wait 4 months before giving the sixty-first dose.

62. If your child misses a sixty-second dose at age 360 months, you should wait 4 months before giving the sixty-second dose.

63. If your child misses a sixty-third dose at age 366 months, you should wait 4 months before giving the sixty-third dose.

64. If your child misses a sixty-fourth dose at age 372 months, you should wait 4 months before giving the sixty-fourth dose.

65. If your child misses a sixty-fifth dose at age 378 months, you should wait 4 months before giving the sixty-fifth dose.

66. If your child misses a sixty-sixth dose at age 384 months, you should wait 4 months before giving the sixty-sixth dose.

67. If your child misses a sixty-seventh dose at age 390 months, you should wait 4 months before giving the sixty-seventh dose.

68. If your child misses a sixty-eighth dose at age 396 months, you should wait 4 months before giving the sixty-eighth dose.

69. If your child misses a sixty-ninth dose at age 402 months, you should wait 4 months before giving the sixty-ninth dose.

70. If your child misses a seventieth dose at age 408 months, you should wait 4 months before giving the seventieth dose.

71. If your child misses a seventy-first dose at age 414 months, you should wait 4 months before giving the seventy-first dose.

72. If your child misses a seventy-second dose at age 420 months, you should wait 4 months before giving the seventy-second dose.

73. If your child misses a seventy-third dose at age 426 months, you should wait 4 months before giving the seventy-third dose.

74. If your child misses a seventy-fourth dose at age 432 months, you should wait 4 months before giving the seventy-fourth dose.

75. If your child misses a seventy-fifth dose at age 438 months, you should wait 4 months before giving the seventy-fifth dose.

76. If your child misses a seventy-sixth dose at age 444 months, you should wait 4 months before giving the seventy-sixth dose.

77. If your child misses a seventy-seventh dose at age 450 months, you should wait 4 months before giving the seventy-seventh dose.

78. If your child misses a seventy-eighth dose at age 456 months, you should wait 4 months before giving the seventy-eighth dose.

79. If your child misses a seventy-ninth dose at age 462 months, you should wait 4 months before giving the seventy-ninth dose.

80. If your child misses an eightieth dose at age 468 months, you should wait 4 months before giving the eightieth dose.

81. If your child misses an eighty-first dose at age 474 months, you should wait 4 months before giving the eighty-first dose.

82. If your child misses an eighty-second dose at age 480 months, you should wait 4 months before giving the eighty-second dose.

83. If your child misses an eighty-third dose at age 486 months, you should wait 4 months before giving the eighty-third dose.

84. If your child misses an eighty-fourth dose at age 492 months, you should wait 4 months before giving the eighty-fourth dose.

85. If your child misses an eighty-fifth dose at age 498 months, you should wait 4 months before giving the eighty-fifth dose.

86. If your child misses an eighty-sixth dose at age 504 months, you should wait 4 months before giving the eighty-sixth dose.

87. If your child misses an eighty-seventh dose at age 510 months, you should wait 4 months before giving the eighty-seventh dose.

88. If your child misses an eighty-eighth dose at age 516 months, you should wait 4 months before giving the eighty-eighth dose.

89. If your child misses an eighty-ninth dose at age 522 months, you should wait 4 months before giving the eighty-ninth dose.

90. If your child misses a ninetieth dose at age 528 months, you should wait 4 months before giving the ninetieth dose.

91. If your child misses a ninety-first dose at age 534 months, you should wait 4 months before giving the ninety-first dose.

92. If your child misses a ninety-second dose at age 540 months, you should wait 4 months before giving the ninety-second dose.

93. If your child misses a ninety-third dose at age 546 months, you should wait 4 months before giving the ninety-third dose.

94. If your child misses a ninety-fourth dose at age 552 months, you should wait 4 months before giving the ninety-fourth dose.

95. If your child misses a ninety-fifth dose at age 558 months, you should wait 4 months before giving the ninety-fifth dose.

96. If your child misses a ninety-sixth dose at age 564 months, you should wait 4 months before giving the ninety-sixth dose.

97. If your child misses a ninety-seventh dose at age 570 months, you should wait 4 months before giving the ninety-seventh dose.

98. If your child misses a ninety-eighth dose at age 576 months, you should wait 4 months before giving the ninety-eighth dose.

99. If your child misses a ninety-ninth dose at age 582 months, you should wait 4 months before giving the ninety-ninth dose.

100. If your child misses a hundredth dose at age 588 months, you should wait 4 months before giving the hundredth dose.

101. If your child misses a hundred-first dose at age 594 months, you should wait 4 months before giving the hundred-first dose.

102. If your child misses a hundred-second dose at age 600 months, you should wait 4 months before giving the hundred-second dose.

103. If your child misses a hundred-third dose at age 606 months, you should wait 4 months before giving the hundred-third dose.

104. If your child misses a hundred-fourth dose at age 612 months, you should wait 4 months before giving the hundred-fourth dose.

105. If your child misses a hundred-fifth dose at age 618 months, you should wait 4 months before giving the hundred-fifth dose.

106. If your child misses a hundred-sixth dose at age 624 months, you should wait 4 months before giving the hundred-sixth dose.

107. If your child misses a hundred-seventh dose at age 630 months, you should wait 4 months before giving the hundred-seventh dose.

108. If your child misses a hundred-eighth dose at age 636 months, you should wait 4 months before giving the hundred-eighth dose.

109. If your child misses a hundred-ninth dose at age 642 months, you should wait 4 months before giving the hundred-ninth dose.

110. If your child misses a hundred-tenth dose at age 648 months, you should wait 4 months before giving the hundred-tenth dose.

111. If your child misses a hundred-eleventh dose at age 654 months, you should wait 4 months before giving the hundred-eleventh dose.

112. If your child misses a hundred-twelfth dose at age 660 months, you should wait 4 months before giving the hundred-twelfth dose.

113. If your child misses a hundred-thirteenth dose at age 666 months, you should wait 4 months before giving the hundred-thirteenth dose.

114. If your child misses a hundred-fourteenth dose at age 672 months, you should wait 4 months before giving the hundred-fourteenth dose.

115. If your child misses a hundred-fifteenth dose at age 678 months, you should wait 4 months before giving the hundred-fifteenth dose.

116. If your child misses a hundred-sixteenth dose at age 684 months, you should wait 4 months before giving the hundred-sixteenth dose.

117. If your child misses a hundred-seventeenth dose at age 690 months, you should wait 4 months before giving the hundred-seventeenth dose.

118. If your child misses a hundred-eighteenth dose at age 696 months, you should wait 4 months before giving the hundred-eighteenth dose.

119. If your child misses a hundred-nineteenth dose at age 702 months, you should wait 4 months before giving the hundred-nineteenth dose.

120. If your child misses a hundred-twentieth dose at age 708 months, you should wait 4 months before giving the hundred-twentieth dose.

121. If your child misses a hundred-twenty-first dose at age 714 months, you should wait 4 months before giving the hundred-twenty-first dose.

122. If your child misses a hundred-twenty-second dose at age 720 months, you should wait 4 months before giving the hundred-twenty-second dose.

123. If your child misses a hundred-twenty-third dose at age 726 months, you should wait 4 months before giving the hundred-twenty-third dose.

124. If your child misses a hundred-twenty-fourth dose at age 732 months, you should wait 4 months before giving the hundred-twenty-fourth dose.

125. If your child misses a hundred-twenty-fifth dose at age 738 months, you should wait 4 months before giving the hundred-twenty-fifth dose.

126. If your child misses a hundred-twenty-sixth dose at age 744 months, you should wait 4 months before giving the hundred-twenty-sixth dose.

127. If your child misses a hundred-twenty-seventh dose at age 750 months, you should wait 4 months before giving the hundred-twenty-seventh dose.

128. If your child misses a hundred-twenty-eighth dose at age 756 months, you should wait 4 months before giving the hundred-twenty-eighth dose.

129. If your child misses a hundred-twenty-ninth dose at age 762 months, you should wait 4 months before giving the hundred-twenty-ninth dose.

130. If your child misses a hundred-thirtieth dose at age 768 months, you should wait 4 months before giving the hundred-thirtieth dose.

131. If your child misses a hundred-thirty-first dose at age 774 months, you should wait 4 months before giving the hundred-thirty-first dose.

132. If your child misses a hundred-thirty-second dose at age 780 months, you should wait 4 months before giving the hundred-thirty-second dose.

133. If your child misses a hundred-thirty-third dose at age 786 months, you should wait 4 months before giving the hundred-thirty-third dose.

134. If your child misses a hundred-thirty-fourth dose at age 792 months, you should wait 4 months before giving the hundred-thirty-fourth dose.

135. If your child misses a hundred-thirty-fifth dose at age 798 months, you should wait 4 months before giving the hundred-thirty-fifth dose.

136. If your child misses a hundred-thirty-sixth dose at age 804 months, you should wait 4 months before giving the hundred-thirty-sixth dose.

137. If your child misses a hundred-thirty-seventh dose at age 810 months, you should wait 4 months before giving the hundred-thirty-seventh dose.

138. If your child misses a hundred-thirty-eighth dose at age 816 months, you should wait 4 months before giving the hundred-thirty-eighth dose.

139. If your child misses a hundred-thirty-ninth dose at age 822 months, you should wait 4 months before giving the hundred-thirty-ninth dose.

140. If your child misses a hundred-thirtieth dose at age 828 months, you should wait 4 months before giving the hundred-thirtieth dose.

141. If your child misses a hundred-thirty-first dose at age 834 months, you should wait 4 months before giving the hundred-thirty-first dose.

142. If your child misses a hundred-thirty-second dose at age 840 months, you should wait 4 months before giving the hundred-thirty-second dose.

143. If your child misses a hundred-thirty-third dose at age 846 months, you should wait 4 months before giving the hundred-thirty-third dose.

144. If your child misses a hundred-thirty-fourth dose at age 852 months, you should wait 4 months before giving the hundred-thirty-fourth dose.

145. If your child misses a hundred-thirty-fifth dose at age 858 months, you should wait 4 months before giving the hundred-thirty-fifth dose.

146. If your child misses a hundred-thirty-sixth dose at age 864 months, you should wait 4 months before giving the hundred-thirty-sixth dose.

147. If your child misses a hundred-thirty-seventh dose at age 870 months, you should wait 4 months before giving the hundred-thirty-seventh dose.

148. If your child misses a hundred-thirty-eighth dose at age 876 months, you should wait 4 months before giving the hundred-thirty-eighth dose.

149. If your child misses a hundred-thirty-ninth dose at age 882 months, you should wait 4 months before giving the hundred-thirty-ninth dose.

150. If your child misses a hundred-thirtieth dose at age 888 months, you should wait 4 months before giving the hundred-thirtieth dose.

151. If your child misses a hundred-thirty-first dose at age 894 months, you should wait 4 months before giving the hundred-thirty-first dose.

152. If your child misses a hundred-thirty-second dose at age 900 months, you should wait 4 months before giving the hundred-thirty-second dose.

153. If your child misses a hundred-thirty-third dose at age 906 months, you should wait 4 months before giving the hundred-thirty-third dose.

154. If your child misses a hundred-thirty-fourth dose at age 912 months, you should wait 4 months before giving the hundred-thirty-fourth dose.

155. If your child misses a hundred-thirty-fifth dose at age 918 months, you should wait 4 months before giving the hundred-thirty-fifth dose.

156. If your child misses a hundred-thirty-sixth dose at age 924 months, you should wait 4 months before giving the hundred-thirty-sixth dose.

157. If your child misses a hundred-thirty-seventh dose at age 930 months, you should wait 4 months before giving the hundred-thirty-seventh dose.

158. If your child misses a hundred-thirty-eighth dose at age 936 months, you should wait 4 months before giving the hundred-thirty-eighth dose.

159. If your child misses a hundred-thirty-ninth dose at age 942 months, you should wait 4 months before giving the hundred-thirty-ninth dose.

160. If your child misses a hundred-thirtieth dose at age 948 months, you should wait 4 months before giving the hundred-thirtieth dose.

161. If your child misses a hundred-thirty-first dose at age 954 months, you should wait 4 months before giving the hundred-thirty-first dose.

162. If your child misses a hundred-thirty-second dose at age 960 months, you should wait 4 months before giving the hundred-thirty-second dose.

163. If your child misses a hundred-thirty-third dose at age 966 months, you should wait 4 months before giving the hundred-thirty-third dose.

164. If your child misses a hundred-thirty-fourth dose at age 972 months, you should wait 4 months before giving the hundred-thirty-fourth dose.

165. If your child misses a hundred-thirty-fifth dose at age 978 months, you should wait 4 months before giving the hundred-thirty-fifth dose.

166. If your child misses a hundred-thirty-sixth dose at age 984 months, you should wait 4 months before giving the hundred-thirty-sixth dose.

167. If your child misses a hundred-thirty-seventh dose at age 990 months, you should wait 4 months before giving the hundred-thirty-seventh dose.

168. If your child misses a hundred-thirty-eighth dose at age 996 months, you should wait 4 months before giving the hundred-thirty-eighth dose.

169. If your child misses a hundred-thirty-ninth dose at age 1002 months, you should wait 4 months before giving the hundred-thirty-ninth dose.

170. If your child misses a hundred-thirtieth dose at age 1008 months, you should wait 4 months before giving the hundred-thirtieth dose.

171. If your child misses a hundred-thirty-first dose at age 1014 months, you should wait 4 months before giving the hundred-thirty-first dose.

172. If your child misses a hundred-thirty-second dose at age 1020 months, you should wait 4 months before giving the hundred-thirty-second dose.

173. If your child misses a hundred-thirty-third dose at age 1026 months, you should wait 4 months before giving the hundred-thirty-third dose.

174. If your child misses a hundred-thirty-fourth dose at age 1032 months, you should wait 4 months before giving the hundred-thirty-fourth dose.

175. If your child misses a hundred-thirty-fifth dose at age 1038 months, you should wait 4 months before giving the hundred-thirty-fifth dose.

176. If your child misses a hundred-thirty-sixth dose at age 1044 months, you should wait 4 months before giving the hundred-thirty-sixth dose.

177. If your child misses a hundred-thirty-seventh dose at age 1050 months, you should wait 4 months before giving the hundred-thirty-seventh dose.

178. If your child misses a hundred-thirty-eighth dose at age 1056 months, you should wait 4 months before giving the hundred-thirty-eighth dose.

179. If your child misses a hundred-thirty-ninth dose at age 1062 months, you should wait 4 months before giving the hundred-thirty-ninth dose.

180. If your child misses a hundred-thirtieth dose at age 1068 months, you should wait 4 months before giving the hundred-thirtieth dose.

181. If your child misses a hundred-thirty-first dose at age 1074 months, you should wait 4 months before giving the hundred-thirty-first dose.

182. If your child misses a hundred-thirty-second dose at age 1080 months, you should wait 4 months before giving the hundred-thirty-second dose.

183. If your child misses a hundred-thirty-third dose at age 1086 months, you should wait 4 months before giving the hundred-thirty-third dose.

184. If your child misses a hundred-thirty-fourth dose at age 1092 months, you should wait 4 months before giving the hundred-thirty-fourth dose.

185. If your child misses a hundred-thirty-fifth dose at age 1098 months, you should wait 4 months before giving the hundred-thirty-fifth dose.

186. If your child misses a hundred-thirty-sixth dose at age 1104 months, you should wait 4 months before giving the hundred-thirty-sixth dose.

187. If your child misses a hundred-thirty-seventh dose at age 1110 months, you should wait 4 months before giving the hundred-thirty-seventh dose.


188. If your child misses a hundred-thirty-eighth dose at age 1116 months, you should wait 4 months before giving the hundred-thirty-eighth dose.

189. If your child misses a hundred-thirty-ninth dose at age 1122 months, you should wait 4 months before giving the hundred-thirty-ninth dose.

190. If

For a Printable PDF of the new schedule for ages 7-18 years for parents, [CLICK HERE](#).

2023 Recommended Immunizations for Children 7–18 Years Old



Key Highlights

The COVID-19 note was revised to provide guidance for use of updated (2023–2024 Formula) COVID-19 vaccines.

The DTaP note was revised to clarify primary and booster doses.

The influenza note has been added clarifying persons with a history of egg allergy of any severity CAN be vaccinated with any influenza vaccine indicated for the recipient's age and health status with no additional safety considerations.

The MMR note was updated to clarify when MMRV is used for routine, catch-up vaccination, or in “Special situations”, the minimum interval between doses is 3 months.

MenACWY-D (Menactra) has been removed from all sections. Menactra has been removed because this product is no longer distributed in the United States.

The Tdap note was revised to clarify that the Tdap dose recommended at age 11–12 years is the adolescent Tdap booster dose.

For more information from the CDC and to review all changes, please [CLICK HERE](#).



School Liaison
schoolhealth@fishers.in.us
317-567-5046